

SAFETY DATA SHEET

Revision Date : 16 September 2021

Section 1 Rentinear	
Product Name	: 1100NK
Product Type	: Polypropylene homopolymer
Product Use	: Raw material for plastic industry, Resin, extrusion and compounding, plastic
Manufacturer	: IRPC Public Company Limited
	299 Moo. 5 Sukhumvit Road, Amphur Muang, Rayong THAILAND
Emergency Call	: +66(0) 38802560
Website	: www.irpc.co.th, https://polimaxx.irpc.co.th

Section 2 – Hazards Identification

Classification according to Regulation (EC) No. 1272/2008 (CLP) and GHS Classification :

This product is not classified as dangerous according to Regulation (EC) No 1272/2008 and GHS

Pictogram : Not Applicable

Section 1 – Identification

Signal Word : Not applicable

Hazard Statement :

Precautionary Statement :

Section 3 – Composition / Information on Ingredients

Chemical Name	CAS Number	EC Number	Percent weight
Polypropylene homopolymer	9003-07-0	Polymer	> 99%



1

555/2 ศูนย์เอนเมอร์ยี่คอมเพล็กซ์ อาคาร บี้ เช่น 6 กนนอีกาวดีรับสิต เขวงจิตุจักร เขตจิตุจักร กรุงเทพ 4 10900 โกร. +66(0)2765-7000, 66(0)2765-7777 เพ็กซ์: +66(0)2765-7002-5 IRPC Public Company Limited



Section 4 – First-aid Measures

Skin Exposure	: If molten material comes in contact with the skin, cool under ice water or a running stream of water.DO NOT attempt to remove the material from the skin.Get medical attention.				
Eyes Exposure	: If molten material should splash into eyes, flush eyes immediately with fresh water for 15 minutes while holding the eyelid open.Remove contact lenses, if worn.Get immediate medical attention.				
Inhalation	: Move the exposed person to fresh air.If breathing is difficult, give oxygen.Get medical attention if breathing difficulties continue.				
Ingestion	: Not a probable route of exposure. If person is conscious, rinse mouth with water. Do not induce vomiting unless directed to do so by a physician. Seek medical advice.				
Section 5 – Fire-fightin	g Measures				
Suitable extinguishing	agents : Dry chemical, foam, water fog or carbon dioxide. Avoid using direct streams of water on molten burning material.				
Hazards during fire-fighting : Carbon monoxide, carbon dioxide, original monomer other hydrocarbon oxidation products.					
Protective equipment	: Use a mask with universal filler. Use self-contained breathing apparatus and full protective clothing.				
Section 6 – Accidental Release Measures					
Personal precautions	: Avoid inhalation and direct contact with molten material.				
Environmental precautions : Discharge into the environment must be avoided.					
Cleanup :					
vacuum).Place waste in a	sing a method that minimizes dust generation (e.g., wet methods, HEPA In appropriate container for disposal.Use care during clean-up to avoid exposure y from broken containers.				
Section 7 – Handling and Storage					
Handling	: Use with adequate ventilation.Avoid smoking, naked lights or				

nanunng	ignition sources.Accumulations of dust should be removed from settling areas.
Storage conditions	: Store in a cool, dry, well-ventilated area or silo away from sources of heat, flame and sparks.Ventilate enclosed storage areas, such as trailers and railcars, before entering.Keep separated from incompatible substances.



2

555/2 GUEIOUIUOSEIAOUIWAINS OTATS Ü BU 6 NUUDITTTÄSDAR 18000007675 KIETORIOTTA ISOITAVI 10900 Ins. +66(0)2765-7000, 66(0)2765-7777 IIWIND: +66(0)2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0)2765-7000, 66(0)2765-7777 FAX:+66(0)2765-7002-5 www.irpc.co.th. www.irpcmarket.com



Section 8 – Exposure Controls / Personal Protection

Exposure limits : No exposure limit value known

Personal protective equipment

Respiratory protection	No special respiration protection is normally required.				
Eye protection	: Chemical workers goggles recommended.				
Protective clothing	: Gloves required when handling hot material. In case of fire, wear MSHA/NIOSH approved self-contained breathing apparatus or equivalent and full protective gear.				
Ventilation	: Provide adequate ventilation when processing material at elevated temperatures.				
Other protective equipment	: Ensure that eyewash stations and safety showers are proximal to the work-station location.				
Engineering Controls	: For molten materials: Provide mechanical ventilation; in general such ventilation should be provided at compounding/ converting areas and at fabricating/filling work stations where the material is heated.Local exhaust ventilation should be used over and in the vicinity of machinery involved in handling the molten material.				



3

555/2 ศูนย์เอนเนอร์ยี่คอนเพล็กษ์ อาคาร บี เช้น 6 กนนอีกาวดีรับสิต แขวงอตุจักร เขตอตุจักร กรุงเทพฯ 10900 โกร. +66(0)2765-7000, 66(0)2765-7777 แฟ็กษ์: +66(0)2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangait Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0)2765-7000, 66(0)2765-7777 FAX: +66(0)2765-7002-5 www.irpc.co.th.www.irpcmarket.com



Section 9 - Physical and Chemical Properties

Apprearance	: Opaque, translucent, colorless pellets				
Odour	:	Characteristic odor			
Colour	:	Not Applicable			
Boiling Point	:	Not Applicale			
Initial Boiling Point	:	Not Applicable			
Flash Point	:	348°C ASTM D1929			
Melting Point	:	130 - 170°C			
Vapour Pressure	Æ	Not Applicale			
Auto ignition temperature	:	380°C			
Solubility	:	Insolublein water			
Viscosity	:	Not Applicale			
Upper/Lower flammability or explosive limit	:	Not Applicable			
рН	:	Not Applicable			
Relative density	:	Not Applicable			
Vapour density	:	Not Applicable			
Partition characteristics	:	Not Applicable			
Specific Gravity	:	0.85 - 0.95			
Partition coefficient: n-octanol/water	:	Not Applicable			
Decomposition temperature	:	Not Applicable			
Explosive properties	:	Not Applicable			
Bulk Density	:	0.85 - 0.95			

Section 10	 Stability and 	l Reactivity
------------	-----------------------------------	--------------

Stability	: This material is considered a stable thermoplastic, with no chemical reactivity under normal ambient and anticipated handling conditions of temperature and pressure.
Condition to Avoid	: Avoid heating above the recommended processing temperature.
Material to Avoid	: May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.May react with free halogens.
Dangerous decomposition	: Small quantities of low molecular weight hydrocarbons, carboxylic acids, carbon oxides can be formed during thermal processing.



บริษัท โออาร์พีซี จำกัด (มหาชน) 555/2 ศูนย์เอนเมอร์ยี่คอมเพล็กซ์ อาคาร บี เชิ่น 6 ถนนวิกาวดีรังสิต เขวงจิตุจักร เขตจิตุจักร กรุงเทพฯ 10900 โกร.+66(0)2765-7000,66(0)2765-7777 เพ็กซ์:+66(0)2765-7002-5

4

IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0) 2765-7000, 66(0) 2765-7777 FAX:+66(0) 2765-7002-5 www.irpc.co.th, www.irpcmarket.com

POLIMAXX

Disposal methods:

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. Observe all label safeguards until containers are cleaned and destroyed.

Section 14	4 – Transport	Information
------------	---------------	-------------

Regulatory information	UN number	Classes	Packing group	Label	Additional information
DOT	Not regulated	-	-	-	
ADR/RID	Not regulated	-	-	-	
IMDG CODE	Not regulated	-	-	-	
ICAO/IATA	Not regulated	-	-	-	



5

555/2 ศูนย์เอนเบอร์ยี่คอมเพล็กซ์ อาการ บี้ เชิ่ม 6 กนนวิกาวดีรับสิต เขวงจิตุจักร เขตจิตุจักร กรุงเทพฯ 10900 โกร. +66(0)2765-7000, 66(0)2765-7777 เพ็กซ์: +66(0)2765-7002-5 IRPC Public Company Limited



Section 15 – Regulatory Information

US Toxic Substances Control Act

All components of this product are on the TSCA Inventory.

European Inventory of Existing Commercial Chemical Substances (EINECS)

The components of this product are on the EINECS inventory or are exempt from inventory requirements.

Canada - WHMIS

Material is not controlled under WHMIS.

Section	16 -	Other	Information	
---------	------	-------	-------------	--

ADR	: European agreement concerning the international carriage of dangerous goods by road.
CLP	: Classification and Labeling of Packaging
DOT	: Department of Transportation
GHS	: Globally Harmonized System of Classification and Labeling of Chemicals
HMIS	: Hazardous Materials Identification System
IATA	: International air transport association
ICAO	: International Civil Aviation Organization
IMDG-CODE	: International maritime dangerous goods code
NFPA	: National Fire Protection Association
NIOSH	: The National Institute for Occupational Safety and Health
RID	: Regulations concerning the international carriage of dangerous goods by rail.
NFPA – USA	
Health : 0	Flammability : 1 Reactivity : 0
HMIS	
Health : 0	Flammability : 1 Reactivity : 0
SDS Information	
GHS Revision : 8	
Revision Date : 16/09/2	021

Print Date : 16/09/2021 08:51:19

The information above is believed to be accurate and represents the best of our knowledge, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.



6

555/2 ศูนย์เอนเบอร์ยี่คอมเพล็กซ์ อาคาร บี เช้น 6 กนนอีกาวดีรับสิต แขวงอตุจักร เขตอตุจักร กรุงเทพฯ 10900 โกร. +66(0) 2765-7000, 66(0) 2765-7777 แฟ็กซ์: +66(0) 2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0) 2765-7000, 66(0) 2765-7777 FAX: +66(0) 2765-7002-5 www.irpc.co.th. www.irpcmarket.com